Google scholar [client server and parallel worker thread spawn] [Search] Advanced Scholar Search
Scholar Preferences

Scholar [Articles and patents] [anytime] [include citations] ⊠ Create email alert Results **51 - 60** of about **727**. (**0.23** sec)

Actors that unify **threads** and events

psu.edu [PDF]

P Haller, M Odersky - Coordination Models and Languages, 2007 - Springer
... blocking operations such as system I/O, and can be executed on multiple processor cores in
parallel. ... For example, a web **server** might represent active user sessions as actors, and make
heavy use ... This is desirable since the time between **client** requests might be arbitrarily long ...
Cited by 21 - Related articles - BL Direct - All 13 versions

[PDF] General **Parallel** File System (GPFS) 1.4 for AIX Architecture and Performance–November 2001

enserb.fr [PDF]

D Heger, G Shah - enserb.fr
... There are several reasons why **parallel** applications need a **parallel** file system such as GPFS
and why such applications ... a buddy buffer to temporarily store data for I/O operations that originated
at a **client** node ... Single **Server** Performance – POWER3 SMP Thin and Wide Nodes ...
Related articles - View as HTML - All 4 versions

Parallel and Distributed Environments

A Esposito - Advances in Information Technologies for ... - Springer
... oriented language). HTML Figure 1-2. Traditional Web model. It is a **client-server**
model, where clients request documents stored on **server** platforms. Page 11.
1. **Parallel** and Distributed Environments 11 The XML ...
Related articles

A .NET solution for distributed computing applications

A Simon, M Adjouadi, M Ayala - IEEE Potentials, 2006 - ieeexplore.ieee.org
... Configuration Component **Server** Component Web Service **Worker Thread Client** Component
Web Service **Worker Thread** ... 2–7. • I. Abdul-Fatah and S. Majumdar, "Performance of
CORBA-based **client- server**," IEEE Trans. ... Workshops **Parallel** Processing, June 2005, pp 29– ...
BL Direct

Iterators, schedulers, and distributed-memory parallelism

G Graefe - Software: Practice and Experience, 1996 - interscience.wiley.com
... permits supporting multiple operation system and hardware platforms in today's multi- vendor
client-server systems. ... in the Gamma project, which we call the 'bracket model' of **parallel** query
evaluation ... operator in Figure 2 is actually executed by a set of '**worker threads**', a design ...
Cited by 26 - Related articles - BL Direct - All 4 versions

[PDF] PT-PVM: A Portable Platform for Multithreaded Coordination Languages   psu.edu [PDF]

O Krone, B Hirsbrunner, V Sunderam - Citeseer

... We implemented a Glenda and PT-PVM version of a data **parallel** version of the Sieve of ... for (i =
0; i < NUMPROCS; i++) { csSpawn_1(**worker**, &i, CS_THREAD, "DISTRIBUTED", &new, p);
sprintf(p_name, "**worker** %d", i ... sages as well as a multithreaded **client**/**server** model. ...

Related articles - View as HTML - All 2 versions

[PDF] Experiences in building an object-based storage system based on the OSD T-10 standard   psu.edu [PDF]

D Du, D He, C Hong, J Jeong, V Kher, Y Kim, Y Lu, A ... - Proceedings of MSST - Citeseer

... A **worker thread** is **spawned** for each incoming connection and is ... The **Client-Server** Modules
Whenever a user wants to ac- cess an object, the **client** side security module transparently contacts
the security manager and obtains a credential for the requested object. ...

Cited by 21 - Related articles - View as HTML - All 15 versions

---

[PDF] Synchronization in a **Thread**-Pool Model and its Application in **Parallel** Computing   psu.edu [PDF]

M Mizuno, L Chen, V Wallentine - PDPTA, 2003 - Citeseer

... The **server** receives a request and passes the request to a job **thread**. The job **thread** processes
the request and sends a reply back to the **client**. ... Our **server** example has two job classes, Inquire
and Update. ... 3 Application in scientific **parallel** computation 3.1 Jacobi Iteration ...

Related articles - View as HTML - All 8 versions

A **parallel** I/O mechanism for distributed systems   psu.edu [PDF]

T Baer, P Wyckoff - cluster, 2004 - computer.org

... sets the maximum number of **threads** that can be **spawned** by an individual **client** process to ... a
result of network contention for the single network in- terface on the **server** side. ... Ohio State
University wrote a wrapper around the popular tool BLAST that performs queries in **parallel**. ...

Cited by 12 - Related articles - All 8 versions

An easy to use distributed computing framework   psu.edu [PDF]

C Pheatt - Proceedings of the 38th SIGCSE technical symposium ..., 2007 - portal.acm.org

... like" cluster using laboratory computers, 6) Using a framework like JavaSpaces [16] to implement
a generic **worker**-foreman model, in ... In addition, the capabilities of the **client**/**server** suite will be
expanded to allow exploration of more complex **parallel** and distributed ...

Cited by 11 - Related articles - RL Direct - All 5 versions

☑ Create email alert

◀ Goooooooooooooogle ▶

client server and parallel worker thr| Search

Go to Google Home - About Google - About Google Scholar

©2010 Google